

# ARCTIC CHARR REFERENCES

**R.D. Moccia, M.G. Burke and J.B. Beattie**

Aquaculture Centre  
University of Guelph  
Guelph, Ontario, Canada N1G 2W1

AC Publication No. 2000-001

January 2000

485

AGDEX 01

## ***Summary***

Arctic Charr, *Salvelinus alpinus* (L.), is a fish species receiving much attention as a candidate for aquaculture development in Canada. Breeding lines of charr are currently being developed at several farms in the Province of Ontario, and seed stock is becoming available to those who wish to "grow-out" fingerlings to market size.

Compared to rainbow trout, there is relatively little published or other readily available literature which provides information on everything from those breeding systems to disease problems which are unique to this species. The following is a brief listing of research publications, popular press articles and consultants' reports which should be useful to anyone wishing to learn more about Arctic charr. Published research papers can be accessed through most University or government libraries, and many materials are becoming available on the internet. Any questions concerning this reference listing can be directed to the Aquaculture Centre, University of Guelph, 519-824-4120 ext. 52689, or email us at [aquacntr@uoguelph.ca](mailto:aquacntr@uoguelph.ca).

## **Table of Sections**

[General References](#)

[Disease](#)

[Early Development](#)

[Feeds and Feeding](#)

[Genetics](#)

[Growth and Nutrition](#)

[Husbandry](#)

[Physiology](#)

[Product Development](#)

[Reproduction](#)

[Welfare and Behaviour](#)

## General References

1. Anon. 1992. Reconditioning Arctic char. Supply and Services Canada Res. Devel. Sci. Technol. Bull. 233. 1 p. Baynes, R. 1986. Arctic Char. Can. Aquaculture 2(4): 24-25.
2. Coady, L.W. and C.W. Best. 1976. (Abstract only). Biological and management investigations of the Arctic char fishery at Nain, Labrador. Can. Dept. Envir. Fish. Mar. Serv. Tech. Rep. 624: 1 p.
3. Collison, S. and A. Ludwig. 1991. From securing eggs to the grow-out and delivery of product to the customer. Arctic Charr Workshop, B.C. Ministry of Ag. Fish. and Food, Chilliwack, B.C. 14 p.
4. Curtis, D.G., K.M. Rideout and N.J. Robbins. 1993. Arctic charr farming guide. Special Aquaculture Pub. No. 64, Dept. Fisheries, Government of Newfoundland and Labrador. 198 p.
5. de March, B.G.E., M.E. Giles, R.N. Olson and J.L. Tabachek. 1992. Arctic Charr Culture Bulletin Number Three. Dept. Fish. Oceans Can. Newsletter. 13 p.
6. Hathaway, B.L. 1987. Biological and economic feasibility of commercial Arctic charr (*Salvelinus alpinus* L.) production utilizing waste heat aquaculture. Master of Natural Resources Management Thesis, University of Manitoba.
7. Heasman, M.S. and K.D. Black. 1998. Mini review: The potential of Arctic charr, *Salvelinus alpinus* (L.), for mariculture. Aquaculture Res. 29: 67-76.
8. Hunter, J.G. 1970. Production of Arctic char (*Salvelinus alpinus* Linnaeus) in a small Arctic lake. Fish. Res. Bd. Can. Tech. Rep. 231: 200 p.
9. Jobling, M., H. Tveiten and B. Hatlen. 1998. Cultivation of Arctic charr: an update. Aquaculture Intern. 6:181-196.
10. Johnson, L. 1980. The Arctic charr, *Salvelinus alpinus*. In Charrs, Salmonid Fishes of the Genus *Salvelinus*. (E.K. Balon ed.) W.Junk, the Hague. pp. 15-98.
11. McCart, P.J. 1980. A review of the systematics and ecology of Arctic charr, *Salvelinus alpinus*, in the western Arctic. Can. Tech. Rep. Fish. Aquat. Sci. 935: 89 p.
12. McGeachy, S.M. and J.L. Delabbio. 1989. The potential of Arctic charr (*Salvelinus alpinus*) as a Canadian aquaculture species. Proc. Ann. Meet. Aquaculture Assoc. Can. Bull. 89(3): 40-42.
13. Painter, R. 1990. Warming up to Arctic charr. Can. Aquaculture 6(1): 32-45.
14. Papst, M.H. and G.E. Hopky. 1989. Aquaculture potential of Arctic charr. Aquaculture Assoc. Can. Bull. 89(2): 15-19.
15. Stechey, D.P.M. 1990. Opportunities for enhanced development of commercial aquaculture in Ontario: A technological and economic analysis of alternative fish species. Report to the Ontario Ministry of Agriculture and Food. pp. 60-63.
16. Steiner, V. 1984. Experiments towards improving the culture of Arctic charr (*Salvelinus alpinus* L.). pp. 509-521. In Biology of the Arctic Charr: Proceedings of the International Symposium on Arctic Charr, Winnipeg, Manitoba, May 1981. (L. Johnson and B. Burns, eds.). University of Manitoba Press, Winnipeg.
17. Tabachek, J.L., J.L. Delabbio and B.G.E. de March. 1991. Arctic Charr Bulletin Number Two. Dept. Fish. Oceans Can. Newsletter. 24 p.
18. Tabachek, J.L. and B. de March. 1990. Arctic Charr Culture Bulletin Number One.

- Dept. Fish. Oceans Can. Newsletter. 8 p.
19. Van Toever, W. and J.N. Boyer. 1991. Commercial Arctic charr aquaculture - Phase 1. Report to Atlantic Fisheries Adjustment Program, 33 p.
  20. Vieira, D.P. 1989. Commercial production of Arctic charr. Proc. Ann. Meet. Aquaculture Assoc. Can. 89(3): 43-44.

## Disease

1. Brown, J.A., J.-P. Thonney, D. Holwell and W.R. Wilson. 1991. (Abstract only). A comparison of the susceptibility of *Salvelinus alpinus* and *Salmo salar* to proliferative kidney disease. Aquaculture 96: 1-6.
2. Ricks, W.R. 1991. (Abstract only). Swim bladder stress syndrome in Arctic charr (*Salvelinus alpinus*). Master of Science thesis, Univ. of British Columbia.
3. Souter, B.W., A.G. Dwilow, K. Knight and T. Yamamoto. 1984. Infectious pancreatic necrosis virus: Isolation from asymptomatic wild Arctic charr (*Salvelinus alpinus* L.). J. Wildlife Diseases 20(4): 338-339.
4. Souter, B.W., A.G. Dwilow, K. Knight and T. Yamamoto. 1986. Infectious pancreatic necrosis virus in adult Arctic charr, *Salvelinus alpinus* (L.), in rivers in the Mackenzie delta region and Yukon Territory. Can. Tech. Rep. Fish. Aquat. Sci. 1441: 11 p.

## Early Development and Rearing

1. Baker, R. 1981. Survival and development of Arctic charr eggs and fry at 4 different temperatures. From: Waste Heat Aquaculture Interim Report 1981 prepared for Noval Technologies Ltd. by M.H. Papst. pp. 40-44.
2. Damsgard, B. 1991. Smolting characters in anadromous and resident Arctic charr, *Salvelinus alpinus* (L.). J Fish Biol. 39(5): 765-774.
3. de March, B.G.E. 1995. Effects of incubation temperature on the hatching success of Arctic charr eggs. The Progressive Fish-Culturalist 57: 132-136.
4. Jungwirth, M. and H. Winkler. 1984. The temperature dependence of embryonic development of grayling (*Thymallus thymallus*), danube salmon (*Hucho hucho*), Arctic charr (*Salvelinus alpinus*) and brown trout (*Salmo trutta fario*). Aquaculture 38: 315-327.
5. Krieger, K.G. 1987. Early survival of three strains of hatchery-reared Arctic charr (*Salvelinus alpinus*). Proc. Ann. Meet. Aquaculture Assoc. Can. Bull. 87(1): 42-43.
6. Wallace, J.C., A.G. Kolbeinshavn and D. Aasjord. 1988. On egg size, food particle size and initial feeding in Arctic charr, *Salvelinus alpinus* (L.). Proc. EAS Int. Conf., Aquaculture Europe '87, Amsterdam, 1987.

## Feeds and Feeding

1. Aasjord, D. and J. Wallace. 1980. Observation of gastric obstruction during early feeding of Arctic charr, *Salvelinus alpinus* L. (Salmonidae). Aquaculture 19: 87-91.

2. Brannas, E. and A. Alanara. 1992. Feeding behaviour of the Arctic charr in comparison with the rainbow trout. *Aquaculture* 105(1): 53-59.
3. Gurure, R.M., R.D. Moccia and J.L. Atkinson. 1995. Optimal protein requirements of young Arctic charr (*Salvelinus alpinus*) fed practical diets. *Aquaculture Nutrition* 1: 227-234.
4. Hatlen, B., M. Jobling and B. Bjerkeng. 1998. Relationships between carotenoid concentration and colour of fillets of Arctic charr, *Salvelinus alpinus* (L.), fed astaxanthin. *Aquaculture Res.* 29: 191-202.
5. Jobling, M. and A. Wandsvik. 1983. An investigation of factors controlling food intake in Arctic charr, *Salvelinus alpinus* L.. *J. Fish Biol.* 23: 397-404.
6. Jobling, M., E.H. Jørgensen, A.M. Arnesen and E. Ringø. 1993. Feeding, growth and environmental requirements of Arctic charr: a review of aquaculture potential. *Aquaculture Intern.* 1: 20-46.
7. Jørgensen, E.H. and M. Jobling. 1989. Patterns of food intake in Arctic charr, *Salvelinus alpinus*, monitored by radiography. *Aquaculture* 81: 155-160.
8. Jørgensen, E.H. and M. Jobling. 1990. Feeding modes in Arctic charr, *Salvelinus alpinus* L.: the importance of bottom feeding for the maintenance of growth. *Aquaculture* 86: 379-385.
9. Olsen, R.E. and E. Ringø. 1998. The influence of temperature on the apparent nutrient and fatty acid digestibility of Arctic charr, *Salvelinus alpinus* L.. *Aquaculture Res.* 29: 695-701.
10. Pálsson, J.Ö., M. Jobling and E.H. Jørgensen. 1992. (Abstract only). Temporal changes in daily food intake of Arctic charr, *Salvelinus alpinus* L., of different sizes monitored by radiography. *Aquaculture* 106: 51-61.
11. Simmons, L., R.D. Moccia and D.P. Bureau. 1999. Dietary methionine requirement of juvenile Arctic charr *Salvelinus alpinus* (L.). *Aquaculture Nutrition* 5: 93-100.
12. Tabachek, J.L. 1984. Evaluation of grower diets for intensive culture of two strains of Arctic charr (*Salvelinus alpinus* L.). *Can. Tech. Rep. Fish. Aquatic Sci.* No. 1281 21p.
13. Tabachek, J.L. 1986. Influence of dietary protein and lipid levels on growth, body composition and utilization efficiencies of Arctic charr, *Salvelinus alpinus* L.. *J. Fish. Biol.* 29: 139-151.
14. Tabachek, J.L. 1988. The effect of feed particle size on the growth and feed efficiency of Arctic charr [*Salvelinus alpinus* (L.)]. *Aquaculture* 71: 319-330.
15. Wallace, J.C. and D. Aasjord. 1984. The initial feeding of Arctic charr (*Salvelinus alpinus*) alevins at different temperatures and under different feeding regimes. *Aquaculture* 38: 19-33.
16. Yurkowski, M. 1986. Suitability of two rainbow trout (*Salmo gairdneri*) reference diets for Arctic charr (*Salvelinus alpinus*). *Can. Dept. Fish. Oceans Tech. Rep. Fish. Aquat. Sci.* 1464: 10 p.

## Genetics

1. Glebe, B.D., J. Delabbio, P. Lyon, R.L. Saunders and S. McCormick. 1986. Chromosome engineering and hybridization of Arctic charr (*Salvelinus alpinus*)

- and Atlantic salmon (*Salmo salar*) for aquaculture. In: EIFAC/FAO Symposium on Selection, Hybridization and Genetic Engineering in Aquaculture of Fish and Shellfish for Consumption and Stocking, Bordeaux, France. 14 p.
2. Kornfield, I., K.F. Beland, J.R. Moring and F.W. Kircheis. 1981. Genetic similarity among endemic Arctic charr (*Salvelinus alpinus*) and implications for their management. Can. J. Fish. Aquat. Sci. 38: 32-39.
  3. Nilsson, J. 1990. Heritability estimates of growth-related traits in Arctic charr (*Salvelinus alpinus*). Aquaculture 84: 211-217.
  4. Nilsson, J. 1992. Genetic parameters of growth and sexual maturity in Arctic charr (*Salvelinus alpinus*). Aquaculture 106(1): 9-19.
  5. Nilsson, J. 1992. Genetic variation in resistance of Arctic charr to fungal infection. J. Aquat. Animal Health 4(2): 126-128.

## Growth and Nutrition

1. Baardvik, B.M. and M. Jobling. 1990. (Abstract only). Effect of size-sorting on biomass gain and individual growth rates in Arctic charr, *Salvelinus alpinus* L.. Aquaculture 90: 11-16.
2. Baker, R.F. 1983. The effects of temperature, ration and size on growth rates of Arctic charr (*Salvelinus alpinus* L.). M.Sc. Thesis. Univ. Manitoba, Winnipeg. 227 p.
3. Baker, R.F. and G.B. Ayles. 1990. The effects of varying density and loading level on the growth of Arctic charr (*Salvelinus alpinus* L.) and rainbow trout (*Oncorhynchus mykiss*). World Aquaculture 21: 58-61.
4. Brannas, E. and B.-S. Wiklund. 1992. Low temperature growth potential of Arctic charr and rainbow trout. Nordic J. Freshwater Res. 67: 77-81.
5. Christiansen, J.S., E. Ringø and M. Jobling. 1989. (Abstract only). Effects of sustained exercise on growth, body composition of first-feeding fry of Arctic charr, *Salvelinus alpinus* (L.). Aquaculture 79: 329-335.
6. Christiansen, J. S., Y. S. Svendsen and M. Jobling. 1992. The combined effects of stocking density and sustained exercise on the behaviour, food intake, and growth of Arctic charr (*Salvelinus alpinus* L.). Can. J. Zool. 70(1): 115-122.
7. Delabbio, J.L., B.D. Glebe and A. Sreedharan. 1990. Variation in growth and survival between two anadromous strains of Canadian Arctic charr (*Salvelinus alpinus*) during long-term saltwater rearing. Aquaculture 85: 259-270.
8. Gjedrem, T. and K. Gunnes. 1978. Comparison of growth rate in Atlantic salmon, pink salmon, Arctic charr, sea trout and rainbow trout under Norwegian fish farming conditions. Aquaculture 13: 135-141.
9. Jobling, M. 1983. Growth studies with fish - overcoming the problems of size variation. J. Fish Biol. 22: 153-157.
10. Jobling, M. 1983. Influence of body weight and temperature on growth rates of Arctic charr, *Salvelinus alpinus* (L.). J. Fish Biol. 22: 471-475.
11. Jobling, M. 1983. Effect of feeding frequency on food intake and growth of Arctic charr, *Salvelinus alpinus* L.. J. Fish. Biol. 23: 177-185.
12. Jobling, M. 1985. Physiological and social constraints on growth of fish with special reference to Arctic charr, *Salvelinus alpinus* L.. Aquaculture 44: 83-90.

13. Jobling, M. 1987. Growth of Arctic charr (*Salvelinus alpinus* L.) under conditions of constant light and temperature. *Aquaculture* 60: 243-249.
14. Jobling, M., B.M. Baardvik and E.H. Jørgensen. 1989. (Abstract only). Investigation of food-growth relationships of Arctic charr, *Salvelinus alpinus* L., using radiography. *Aquaculture* 81: 367-372.
15. Jobling, M. and T.G. Reinsnes. 1987. Effect of sorting on size-frequency distributions and growth of Arctic charr, *Salvelinus alpinus* L.. *Aquaculture* 60: 27-31.
16. Jobling, M. and A. Wandsvik. 1983. Effect of social interactions on growth rates and conversion efficiency of Arctic charr, *Salvelinus alpinus* L.. *J. Fish Biol.* 22: 577-584.
17. Jobling, M. and A. Wandsvik. 1983. Quantitative protein requirements of Arctic charr, *Salvelinus alpinus* (L.). *J. Fish Biol.* 22: 705-712.
18. Moore, J.W. and I.A. Moore. 1974. Food and growth of Arctic char, *Salvelinus alpinus* (L.), in the Cumberland Sound area of Baffin Island. *J. Fish Biol.* 6: 79-92.
19. Papst, M.H. and G.E. Hopky. 1983. Growth of Arctic charr (*Salvelinus alpinus* L.) in a pilot commercial rearing system. *Can. Tech. Rep. Fish. Aquatic Sci.* No. 1182. 16 p.
20. Ringø, E. 1991. (Abstract only). Hatchery-reared landlocked Arctic charr, *Salvelinus alpinus* (L.), from Lake Takvatn reared in fresh and sea water. II. The effect of salinity on the digestibility of protein, lipid and individual fatty acids in a capelin roe diet and commercial feed. *Aquaculture* 93: 135-142.
21. Swift, D.R. 1964. The effect of temperature and oxygen on the growth rate of the Windermere charr (*Salvelinus alpinus willughbii*). *Comp. Biochem. Physiol.* 12: 179-183.
22. Tabachek, J.L. 1986. Influence of dietary protein and lipid levels on growth, body composition and utilization efficiencies of Arctic charr, *Salvelinus alpinus* L.. *J. Fish. Biol.* 29: 139-151.
23. Tompkins, J.C., T.A. Dick and M.H. Papst. 1988. Growth of sibling populations of Arctic charr (*Salvelinus alpinus* L.) under increasing density. *Proc. Ann. Meet. Aquaculture Assoc. Can. Bull.* 88(4): 37-39.
24. Wallace, J.C. and A.G. Kolbeinshavn. 1988. The effect of size grading on subsequent growth in fingerling Arctic charr, *Salvelinus alpinus* (L.). *Aquaculture* 73: 97-100.
25. Wallace, J.C., A.G. Kolbeinshavn and T.G. Reinsnes. 1988. The effects of stocking density on early growth in Arctic charr, *Salvelinus alpinus* (L.). *Aquaculture* 73: 101-110.
26. Wandsvik, A. and M. Jobling. 1982. Observations on growth rates of Arctic charr, *Salvelinus alpinus* (L.), reared at low temperature. *J. Fish. Biol.* 20: 689-699.

## Husbandry

1. Carswell, B. 1988. Water management for trout production and Arctic charr culture workshop: summary of workshop proceedings. Report to the Western Trout Farmers Association and British Columbia Ministry of Agriculture and Fisheries. 44 p.

2. Sutterlin, A. M. and E. D. Stevens. 1992. Thermal behaviour of rainbow trout and Arctic charr in cages moored in stratified water. *Aquaculture* 102(1-2): 65-75.

## Physiology

1. Arnesen, A. M., M. Halvorsen, and K. J. Nilssen. 1992. Development of hypoosmoregulatory capacity in Arctic char (*Salvelinus alpinus*) reared under either continuous light or natural photoperiod. *Can. J. Fisheries Aquat. Sci.* 49(2): 229-237.
2. Delabbio, J.L., M. Sweeney and B.D. Glebe. 1988. Effects of body size and male steroid treatment on seawater tolerance in Arctic char. *Proc. Ann. Meet. Aquaculture Assoc. Can. Bull.* 88(4): 31-33.
3. Swift, D.R. 1964. The effect of temperature and oxygen on the growth rate of the Windermere char (*Salvelinus alpinus willughbii*). *Comp. Biochem. Physiol.* 12: 179-183.

## Product Development

1. Swatland, H.J., F. Darkin, S.J. Naylor, L. Caston and R.D. Moccia. 1998. Muscle colour development in Arctic charr, *Salvelinus alpinus* (L.), monitored by fibre-optics and electrical impedance. *Aquaculture Res.* 29: 367-372.
2. Swatland, H.J., C.R. Haworth, F. Darkin and R.D. Moccia. 1997. Fiber-optic spectrophotometry of raw, smoked and baked Arctic charr (*Salvelinus alpinus*). *Food Res. Intern.* 30(2): 141-146.

## Reproduction

1. Boyer, J.N. and W. Van Toever. 1993. Reconditioning of Arctic charr (*Salvelinus alpinus*) after spawning. *Aquaculture* 110: 279-284.
2. Dutil, J.-D. 1984. Energetic costs associated with the production of gonads in the anadromous Arctic charr (*Salvelinus alpinus*) of the Nauyuk Lake basin, Canada. pp. 263-276. In *Biology of the Arctic Charr*, Proceedings of the International Symposium on Arctic Charr, Winnipeg, Manitoba, May 1981. (L. Johnson and B. Burns, eds). University of Manitoba Press, Winnipeg.
3. Gillet, C. 1991. Egg production in an Arctic charr (*Salvelinus alpinus* L.) brood stock: effects of temperature on the timing of spawning and the quality of eggs. *Aquat. Living Resour.* 4: 109-116.
4. Hegge, O., B.K. Dervo and J. Skurdal. 1991. Age and size at sexual maturity of heavily exploited Arctic char and brown trout in Lake Atnsjø, southeastern Norway. *Trans. Amer. Fish. Soc.* 120: 141-149.
5. Krieger, K.G., B.G.E. de March and R.N. Olsen. 1988. Factors involved in spawning success of Arctic charr (*Salvelinus alpinus*) broodstock of the Nauyuk Lake strain. *Proc. Ann. Meet. Aquaculture Assoc. Can. Bull.* 88(4): 34-36.
6. Papst, M.H. and G.E. Hopky. 1984. Development of an Arctic charr (*Salvelinus alpinus* L.) broodstock. *Aquaculture* 43: 323-331.
7. Svedang, H. 1991. Effects of food quality on maturation rate in Arctic charr,

- Salvelinus alpinus* (L.). J. Fish Biol. 39(4): 495-504.
8. Wallace, J.C. and D. Aasjord. 1984. An investigation of the consequences of egg size for the culture of Arctic charr, *Salvelinus alpinus* (L.). J. Fish Biol. 24: 427-435.

## **Welfare and Behaviour**

1. Noakes, D.L.G. 1980. Social behaviour in young charrs. In Charrs, Salmonid Fishes of the Genus *Salvelinus*. (E.K. Balon ed.) W. Junk, the Hague. pp. 683-701.